

9-12  
Mathematics Vocabulary

	Algebra I (8&9)	Geometry (9&10)	Algebra II (10&11)	Applied Math I (11)	Math II (12)	Trig/Stats (11)	Calculus (12)
<b>Absolute convergence</b>							I
<b>Absolute maximum/minimum</b>							I
<b>Absolute value</b>	TC		TC				
<b>Acute angle</b>		TC					
<b>Acute triangle</b>		TC					
<b>Additive inverse</b>			TC				
<b>Adjacent</b>	TC						
<b>Adjacent angle</b>		TC					
<b>Algebraically</b>	R						
<b>Algorithm</b>						I	
<b>Alternate exterior angles</b>		TC					
<b>Alternate interior angles</b>		TC					
<b>Altitude</b>	TC	TC					
<b>Amplitude</b>			I				R
<b>Angle</b>		TC				R	
<b>Angle bisector</b>		TC					
<b>Angle of depression</b>	TC	TC	TC				
<b>Angle of elevation</b>		TC	TC				
<b>Annual</b>				I			
<b>Antiderivative</b>							I
<b>Antidifferentiation</b>							I
<b>Antilogarithm</b>						I	
<b>Apothem</b>		I					
<b>Approximate</b>	I						
<b>Arc</b>		I					
<b>Arcsine</b>						I	R
<b>Area</b>	TC	TC			R		
<b>Array</b>						I	
<b>Ascend</b>	I						
<b>Assessed Value</b>				I	R		
<b>Associative property</b>	TC						
<b>Asymptote</b>			I			R	R
<b>Augmented matrix</b>			I				
<b>Average</b>	TC	TC	TC	R	R		

I = Introduced  
TC = Tested Concept  
R = Reinforced

9-12  
Mathematics Vocabulary

	Algebra I (8&9)	Geometry (9&10)	Algebra II (10&11)	Applied Math I (11)	Applied Math II (12)	Trig/Stats (11)	Calculus (12)
<b>Average value</b>							I
<b>Axis</b>	TC	TC					R
<b>Axis of revolution</b>							I
<b>Axis of Symmetry</b>		I	R				
<b>Balance</b>	TC						
<b>Balance (checkbook)</b>				I	R		
<b>Bar graph</b>	TC				R	R	
<b>Base</b>	I		R				
<b>Base Price</b>				I	R		
<b>Beneficiary</b>					I		
<b>Best-Fit Line</b>						I	
<b>Bi-</b>		R		R	R		
<b>Biconditional</b>		I					
<b>Bimodal Data</b>						I	
<b>Binomial</b>	TC		TC				
<b>Binomial Experiment</b>						I	
<b>Bivariate Data</b>						I	
<b>Biweekly</b>				I	R		
<b>Bodily Injury Insurance</b>				I			
<b>Bond</b>					I		
<b>Book Value</b>				I			
<b>Box-and Whisker Plot</b>	TC		TC			R	
<b>Budget</b>				I	R		
<b>Canceled check</b>				I	R		
<b>Capital</b>				I	R		
<b>Cardiod</b>			I			R	R
<b>Cash value</b>				I	R		
<b>Center</b>			R				
<b>Central angle</b>		R				R	
<b>Central tendencies</b>	TC	TC	TC			R	
<b>Chain rule</b>							I
<b>Change of variables</b>							I
<b>Check</b>				I			
<b>Check Register</b>				I			

I = Introduced  
TC = Tested Concept  
R = Reinforced

9-12  
Mathematics Vocabulary

	Algebra I (8&9)	Geometry (9&10)	Algebra II (10&11)	Applied Math I (11)	Applied Math II (12)	Trig/Stats (11)	Calculus (12)
<b>Chord</b>		I				R	
<b>Circle</b>		TC	TC			R	
<b>Circle graph</b>	TC					R	
<b>Circular Functions</b>						I	
<b>Circumference</b>	TC	TC	R			R	
<b>Circumscribed</b>		I				R	R
<b>Class Interval</b>						I	
<b>Class Limit</b>						I	
<b>Class Marks</b>						I	
<b>Closed</b>		I					R
<b>Closed-end lease</b>				I			
<b>Closing Costs</b>				I			
<b>Coefficient</b>	TC		TC				
<b>Coinsurance Clause</b>				I	R		
<b>Collinear</b>		I	TC			R	
<b>Collision Insurance</b>				I			
<b>Collision Waiver</b>				I			
<b>Combination</b>			I			R	
<b>Commission</b>				I	R		
<b>Common Logarithm</b>			I			R	R
<b>Commutative property</b>	TC		R			R	
<b>Complement</b>		TC	TC			R	
<b>Complementary angles</b>	TC	TC					
<b>Completing the square</b>	I		R				R
<b>Complex fraction</b>			I			R	
<b>Complex Number</b>			I			R	
<b>Composite</b>						I	
<b>Composition of Functions</b>			I			R	
<b>Compound inequalities</b>	I		R			R	
<b>Compound Interest</b>			I	I		I	R
<b>Comprehensive Insurance</b>				I			
<b>Concavity</b>							I
<b>Conclusion</b>	I	R					
<b>Conditional</b>		I				R	

I = Introduced  
TC = Tested Concept  
R = Reinforced

9-12  
Mathematics Vocabulary

	Algebra I (8&9)	Geometry (9&10)	Algebra II (10&11)	Applied Math I (11)	Applied Math II (12)	Trig/Stats (11)	Calculus (12)
<b>Conditional convergence</b>							I
<b>Cone</b>		I					
<b>Confidence Interval</b>						I	
<b>Congruent</b>		TC					
<b>Conic Section</b>			I			R	R
<b>Conjecture</b>	I	R					
<b>Conjugate</b>			I			R	
<b>Conjunction (And)</b>	I		I			R	
<b>Consistent system</b>	TC		TC			R	
<b>Constant</b>	I		I			R	
<b>Constraint</b>			I			R	R
<b>Continuous</b>							I
<b>Converge</b>			I				
<b>Convergence</b>							I
<b>Converse</b>	I	I					
<b>Convert</b>	I						
<b>Coordinate</b>	TC		TC		R		
<b>Coplanar</b>		I					
<b>Correlation</b>	TC		TC			R	
<b>Corresponding angles</b>		TC					
<b>Cosecant</b>						I	R
<b>Cosine</b>	I	R				R	R
<b>Cost</b>				I	R		
<b>Cotangent</b>						I	R
<b>Coterminal</b>			I				
<b>Coterminal angles</b>						I	
<b>Coulomb's law</b>							I
<b>Counterexample</b>		I					
<b>Coupon</b>				I			
<b>Critical number</b>							I
<b>Critical point</b>							I
<b>Cross products</b>	I						
<b>Cube root</b>		I	R				
<b>Current Ratio</b>					I		
<b>Curve</b>							I

I = Introduced  
TC = Tested Concept  
R = Reinforced

9-12  
Mathematics Vocabulary

	Algebra I (8&9)	Geometry (9&10)	Algebra II (10&11)	Applied Math I (11)	Applied Math II (12)	Trig/Stats (11)	Calculus (12)
<b>Cylinder</b>		TC					
<b>Dealer's Cost</b>				I			
<b>Deca-</b>		R					
<b>Decay</b>			I				R
<b>Decimal</b>				I	R		
<b>Decreasing function</b>							I
<b>Deductible Clause</b>				I	R		
<b>Deductive</b>	I	R					
<b>Definite integral</b>							I
<b>Degree</b>	TC	TC	TC			R	
<b>Delta</b>							I
<b>Density</b>							I
<b>Dependent</b>	I					R	
<b>Dependent events</b>	TC		TC				
<b>Dependent system</b>			TC				
<b>Dependent variable</b>			TC				
<b>Deposit</b>				I			
<b>Depreciation</b>					I		
<b>Derivative</b>						I	R
<b>Descend</b>	I						
<b>Destination Charge</b>				I	R		
<b>Determinant</b>			I			R	
<b>Diagonals</b>	TC	TC					
<b>Diameter</b>		TC	TC				
<b>Difference</b>	TC			R	R		
<b>Differentiability</b>							I
<b>Differential</b>							I
<b>Differential equations</b>							I
<b>Dilation</b>		TC					
<b>Dimensions</b>		TC	TC			R	
<b>Direct Comparison test</b>							I
<b>Direct variation</b>	I		TC				
<b>Directrix</b>			I				
<b>Discontinuity</b>							I
<b>Discontinuous</b>						I	R

I = Introduced  
TC = Tested Concept  
R = Reinforced

9-12  
Mathematics Vocabulary

	Algebra I (8&9)	Geometry (9&10)	Algebra II (10&11)	Applied Math I (11)	Applied Math II (12)	Trig/Stats (11)	Calculus (12)
<b>Discount</b>				I	R		
<b>Discriminant</b>	I		R			R	
<b>Disjunction (Or)</b>		I	R				
<b>Disk method</b>							I
<b>Distance</b>	I	TC	TC				
<b>Distance formula</b>	TC	TC					
<b>Distribute</b>	TC		R			R	
<b>Distributive property</b>	TC		R			R	
<b>Diverge</b>						I	R
<b>Divergence</b>							I
<b>Dividends</b>					I		
<b>Dodeca-</b>		R					
<b>Domain</b>	I		R			R	
<b>Down Payment</b>				I			
<b>Driver-rating factor</b>				I			
<b>e</b>			I			R	
<b>Eccentricity</b>			I			R	
<b>Element</b>						R	
<b>Elimination</b>	TC		TC				
<b>Ellipse</b>			I			R	
<b>Endpoint</b>		TC					
<b>Entry</b>			I				
<b>Equation</b>	TC		TC				
<b>Equi-</b>		TC					
<b>Equiangular</b>		TC					
<b>Equilateral</b>		TC					
<b>Equilibrium</b>							I
<b>Error propagation</b>							I
<b>Evaluate</b>	TC	TC	TC				
<b>Evaluation</b>	TC	TC	TC				
<b>Excluded values</b>			TC				
<b>Existence theorem</b>							I
<b>Expenditures</b>					I		
<b>Exponent</b>	TC		T				
<b>Exponential</b>			I			R	

I = Introduced  
TC = Tested Concept  
R = Reinforced

9-12  
Mathematics Vocabulary

	Algebra I (8&9)	Geometry (9&10)	Algebra II (10&11)	Applied Math I (11)	Applied Math II (12)	Trig/Stats (11)	Calculus (12)
<b>Exponential decay/growth</b>			I			R	R
<b>Expression</b>	I						
<b>Exterior angle</b>		I				R	
<b>Extrema</b>							I
<b>Extreme value</b>	I		R			R	R
<b>Factor</b>	TC		TC				
<b>Factorial</b>			I			R	R
<b>Factoring</b>	TC						
<b>Finance Charge</b>				I	R		
<b>First (and second) derivative test</b>							I
<b>Fixed Costs</b>				I	R		
<b>Fixed Expenses</b>				I	R		
<b>Foci</b>			I			R	
<b>FOIL</b>	TC	TC	TC				
<b>Force</b>							I
<b>Formula</b>	I						
<b>Fractal</b>		I					
<b>Free-falling object</b>							I
<b>Frequency</b>						I	
<b>Frequency table</b>	TC		T			R	
<b>Function</b>	TC		T			R	
<b>Fundamental counting principal</b>	I					R	
<b>Fundamental theorem (1st, 2nd)</b>							I
<b>GCF</b>	R						
<b>General antiderivative</b>							I
<b>Goodness of Fit</b>			I			R	
<b>Graduated Commission</b>				I			
<b>Graduated Income Tax</b>				I			
<b>Gravity</b>							I
<b>Great circle</b>		I					
<b>Greatest Integer Function</b>			I				
<b>Gross Profit</b>				I	R		
<b>Group Insurance</b>				I			
<b>Grouping</b>	I						
<b>Guess-and-check</b>	I						

I = Introduced  
TC = Tested Concept  
R = Reinforced

9-12  
Mathematics Vocabulary

	Algebra I (8&9)	Geometry (9&10)	Algebra II (10&11)	Applied Math I (11)	Applied Math II (12)	Trig/Stats (11)	Calculus (12)
<b>Half</b>				I	R		
<b>Half-life</b>							I
<b>Half-plane</b>		I					
<b>Head-to-tail method</b>		I			R		
<b>Health Insurance</b>				I			
<b>Hepta-</b>		R					
<b>Hexa-</b>		R					
<b>Histogram</b>	TC		TC			R	
<b>Homeowner's Insurance</b>				I			
<b>Horizontal</b>	I	R	R				
<b>Horizontal asymptote</b>							R
<b>Horizontal component</b>							I
<b>Horizontal line test</b>			I			R	R
<b>Hourly Rate</b>				I	R		
<b>Hundredth</b>				I	R		
<b>Hyperbola</b>			I			R	
<b>Hypotenuse</b>	TC	TC				R	
<b>Identity</b>		I				R	
<b>Identity property</b>	I						
<b>Image</b>		TC					
<b>Implicit differentiation</b>							I
<b>Improper integral</b>							I
<b>Inclusion symbols</b>	I						R
<b>Inclusive Events</b>						I	
<b>Income Statement</b>				I			
<b>Income Tax</b>				I	R		
<b>Inconsistent system</b>			I				
<b>Indefinite integral</b>							I
<b>Independent</b>	TC						
<b>Independent events</b>	TC					R	
<b>Indeterminate form</b>							I
<b>Indirect variation</b>	I						
<b>Inductive</b>	I	I					
<b>Inequality</b>	TC		TC				
<b>Infinite interval</b>							I

I = Introduced  
TC = Tested Concept  
R = Reinforced

9-12  
Mathematics Vocabulary

	Algebra I (8&9)	Geometry (9&10)	Algebra II (10&11)	Applied Math I (11)	Applied Math II (12)	Trig/Stats (11)	Calculus (12)
<b>Infinite limit</b>							I
<b>Infinity</b>		I					R
<b>Inflation</b>					I		
<b>Inflection point</b>							I
<b>Inner Product</b>						I	
<b>Inscribed</b>		I					R
<b>Inscribed angle</b>		I					
<b>Inscribed circle</b>		I					
<b>Installment Loan</b>				I			
<b>Instantaneous velocity</b>							I
<b>Integers</b>	I		R				
<b>Integral</b>						I	R
<b>Integration</b>							I
<b>Intercepts</b>	TC	TC	TC			R	
<b>Intercepted arc</b>		I				R	
<b>Interest</b>	TC	TC	TC	I	R		R
<b>Intermediate value</b>							I
<b>Interquartile Range</b>						I	
<b>Intersect</b>		TC					
<b>Intersection</b>	TC						
<b>Interval</b>							I
<b>Inventory</b>					I		
<b>Inverse</b>		I	R				R
<b>Invoice</b>				I	R		
<b>Irrational</b>	I		R				
<b>Irrational number</b>			I				
<b>Is</b>	R			R	R		
<b>Isosceles triangle</b>		TC				R	
<b>Iteration</b>							I
<b>Kilowatt</b>				I			
<b>Kilowatt-hour</b>				I			
<b>L;Hopital's rule</b>							I
<b>Lateral area</b>		TC					
<b>Lateral edge</b>		I					
<b>Lateral face</b>		I					

I = Introduced  
TC = Tested Concept  
R = Reinforced

9-12  
Mathematics Vocabulary

	Algebra I (8&9)	Geometry (9&10)	Algebra II (10&11)	Applied Math I (11)	Applied Math II (12)	Trig/Stats (11)	Calculus (12)
<b>Latitude</b>	I						
<b>Lease</b>				I	R		
<b>Liabilities</b>				I	R		
<b>Liability Insurance</b>				I			
<b>Life Insurance</b>				I			
<b>Like terms</b>	TC						
<b>Limit</b>							I
<b>Limit comparison test</b>							I
<b>Line graph</b>	TC		TC		R		
<b>Line of best fit</b>	TC						
<b>Linear</b>	TC						
<b>Linear equation</b>	I		TC			R	
<b>Linear pair</b>		TC					
<b>List price</b>				I			
<b>Literal equation</b>	I						
<b>Loan value</b>				I	R		
<b>Logarithm</b>			I			R	R
<b>Longitude</b>	I						
<b>Loss</b>					I		
<b>Magnitude</b>		I				R	
<b>Major arc</b>		I					
<b>Margin of error</b>	I						
<b>Marginal Cost</b>						I	
<b>Marginal Revenue</b>						I	
<b>Markdown</b>				I			
<b>Markup</b>				I			
<b>Matrix</b>			I			R	
<b>Maturity date</b>				I	R		
<b>Maturity value</b>				I	R		
<b>Maximum</b>	TC					R	R
<b>Mean</b>	TC		T	R	R	R	
<b>Mean Deviation</b>						I	
<b>Mean value</b>							I
<b>Median</b>	TC	TC	T	R	R	R	
<b>Midpoint</b>	TC	TC	TC				

I = Introduced  
TC = Tested Concept  
R = Reinforced

9-12  
Mathematics Vocabulary

	Algebra I (8&9)	Geometry (9&10)	Algebra II (10&11)	Applied Math I (11)	Applied Math II (12)	Trig/Stats (11)	Calculus (12)
<b>Midsegment</b>		I					
<b>Mill</b>				I	R		
<b>Minimum</b>	TC					R	R
<b>Minor arc</b>		I					
<b>Minute</b>						I	
<b>Mode</b>	TC		T	R	R	R	
<b>Monomial</b>	I						
<b>Monotonic</b>							I
<b>Mortgage loan</b>				I			
<b>Natural Logarithm</b>			I			R	
<b>Net income</b>				I	R		
<b>Nona-</b>		I					
<b>Nonremovable discontinuity</b>							I
<b>Normal</b>						I	R
<b>Normal Curve</b>			I			R	
<b>Oblique cone</b>		I					
<b>Oblique cylinder</b>		I					
<b>Obtuse angle</b>		TC					
<b>Obtuse triangle</b>		TC					
<b>Octa-</b>		I					
<b>Octant</b>		I					R
<b>Odds</b>			T			R	
<b>Of</b>	I				R		
<b>One-sided limit</b>							I
<b>Open-end Lease</b>				I			
<b>Opposite</b>	I						
<b>Opposite operations</b>	I						
<b>Optimization</b>							I
<b>Option</b>				I			
<b>Order of operations</b>	TC						
<b>Ordered pair</b>	TC						
<b>Orthogonal</b>		I					R
<b>Orthographic projection</b>		I					
<b>Outcomes</b>	TC						
<b>Outlier</b>			TC			R	

I = Introduced  
TC = Tested Concept  
R = Reinforced

9-12  
Mathematics Vocabulary

	Algebra I (8&9)	Geometry (9&10)	Algebra II (10&11)	Applied Math I (11)	Applied Math II (12)	Trig/Stats (11)	Calculus (12)
<b>Outstanding check/deposit</b>				I	R		
<b>Overdraw</b>				I			
<b>Overhead</b>					I		
<b>Overtime pay</b>				I			
<b>Parabola</b>	TC		T			R	
<b>Parallel</b>	TC	TC	TC			R	
<b>Parallelogram</b>		TC					
<b>Parameter</b>							I
<b>Parametric equations</b>		I	I			R	
<b>Partial derivative</b>							I
<b>Partial fractions</b>							I
<b>Passbook</b>				I			
<b>Pendulum</b>	I						
<b>Penta-</b>		I					
<b>Percent</b>	TC		TC	R	R		
<b>Percent Change</b>	TC			R	R		
<b>Perfect squares</b>	I	R					
<b>Perimeter</b>	TC	TC					
<b>Period</b>			I			R	
<b>Permutation</b>			I			R	
<b>Perpendicular</b>	TC	TC	TC			R	
<b>Perpendicular bisector</b>		TC					
<b>Perpendicular lines</b>		TC					
<b>Personal exemptions</b>				I			
<b>Phase Shift</b>			I			R	
<b>Pi</b>	I	TC	T			R	
<b>Piecewise</b>			I				
<b>Piecework Pay</b>				I			
<b>Point</b>	TC						
<b>Point of tangency</b>		I					
<b>Polar Form</b>						I	
<b>Polygons</b>	I	R					
<b>Polynomial</b>	TC		TC			R	
<b>Position function</b>							I
<b>Power</b>	R		R				

I = Introduced  
 TC = Tested Concept  
 R = Reinforced

9-12  
Mathematics Vocabulary

	Algebra I (8&9)	Geometry (9&10)	Algebra II (10&11)	Applied Math I (11)	Applied Math II (12)	Trig/Stats (11)	Calculus (12)
<b>Power rule</b>							I
<b>Prediction Equation</b>			I			R	
<b>Preimage</b>		TC					
<b>Premium</b>				I	R		
<b>Principal</b>				I	R		
<b>Principal Values</b>						I	
<b>Prism</b>		TC					
<b>Probability</b>	TC		T			R	
<b>Product</b>	R			R	R		
<b>Product rule</b>							I
<b>Profit</b>				I	R		
<b>Projectiles</b>							I
<b>Promissory note</b>				I			
<b>Proof</b>		I					
<b>Proportion</b>		TC	TC		R		
<b>Proportional</b>	TC	TC	R				
<b>Pyramid</b>		I					
<b>Pythagorean theorem</b>	TC	TC	TC				
<b>Pythagorean triple</b>	TC	TC	TC				
<b>Quad-</b>		R					
<b>Quadrant</b>	TC						
<b>Quadrantal Angles</b>						I	
<b>Quadratic</b>	TC		TC				
<b>Quadratic formula</b>	TC						
<b>Quadrilateral</b>		TC					
<b>Quarterly</b>				I	R		
<b>Quartile</b>	I		R			R	
<b>Quotient</b>	R		R	R	R		
<b>Quotion rule</b>							I
<b>Radian</b>			I			R	
<b>Radical</b>	TC		TC				
<b>Radical expression</b>	I						
<b>Radical functions</b>							R
<b>Radius</b>		TC	TC			R	
<b>Random sample</b>	I						

I = Introduced  
TC = Tested Concept  
R = Reinforced

9-12  
Mathematics Vocabulary

	Algebra I (8&9)	Geometry (9&10)	Algebra II (10&11)	Applied Math I (11)	Applied Math II (12)	Trig/Stats (11)	Calculus (12)
<b>Range</b>	TC		TC	R	R	R	
<b>Rate</b>	TC			R	R		
<b>Rate of change</b>	TC						R
<b>Ratio</b>	TC		TC			R	
<b>Ratio test</b>							I
<b>Rational</b>	TC		TC			R	
<b>Rationalize</b>	I		I				R
<b>Ray</b>		TC					
<b>Real</b>	TC		R				
<b>Real number</b>			TC				
<b>Rebate</b>				I			
<b>Receipt</b>				I			
<b>Reciprocal</b>	TC						
<b>Reconcile</b>				I	R		
<b>Rectangle</b>		TC					
<b>Rectangular prism</b>	TC						
<b>Recursive</b>						I	
<b>Reference Angle</b>						I	
<b>Reflection</b>	TC	TC					
<b>Reflectional symmetry</b>		TC					
<b>Refund</b>				I	R		
<b>Regular polygon</b>		TC					
<b>Related rates</b>							I
<b>Relation</b>			I				
<b>Relative extrema</b>							I
<b>Remote interior angle</b>		I					
<b>Removable discontinuity</b>							I
<b>Rent</b>				I			
<b>Replacement Value</b>				I			
<b>Restrictions</b>	I						
<b>Result</b>	I						
<b>Resultant</b>						I	
<b>Retail</b>				I			
<b>Revolution</b>							I
<b>Rhombus</b>		TC					

I = Introduced

TC = Tested Concept

R = Reinforced

9-12  
Mathematics Vocabulary

	Algebra I (8&9)	Geometry (9&10)	Algebra II (10&11)	Applied Math I (11)	Applied Math II (12)	Trig/Stats (11)	Calculus (12)
Right cone		I					
Right cylinder		I					
Right prism		TC					
Root			TC			R	
Rotation		TC					
Rotational symmetry		TC					
Salary				I			
Sale Price				I			
Sales Tax	R			I			
Same-side interior angles		TC					
Sample Space						I	
Scalar						I	
Scale factor		TC					
Scatterplot			TC				
Scientific notation	TC						
Secant (of circle)		I					
Secant (trig)						I	
Second						I	
Sector		I				R	
Segment		TC			R	X	
Segment bisector		TC					
Semiannually				I	R		
Semi-interquartile Range						I	
Separation of variables							I
Sequence	TC		TC			R	R
Series			TC			R	R
Service Charge				I	R		
Shell method							I
Sigma			I				R
Similar	TC	TC					
Similar figures		TC					
Simple Interest				I	R		
Simplify	TC						
Simpson's rule							I
Sine	I	R				R	

I = Introduced  
TC = Tested Concept  
R = Reinforced

9-12  
Mathematics Vocabulary

	Algebra I (8&9)	Geometry (9&10)	Algebra II (10&11)	Applied Math I (11)	Applied Math II (12)	Trig/Stats (11)	Calculus (12)
<b>Skew lines</b>		I					
<b>Slant height</b>		I					
<b>Slope</b>	TC	TC	TC			R	
<b>Solid</b>		TC					
<b>Solid of revolution</b>							I
<b>Sphere</b>		TC					
<b>Square Root</b>	TC	TC	TC				
<b>Square units</b>	TC	TC					
<b>Squeeze theorem</b>							I
<b>Standard Deviation</b>			I			R	
<b>Standard form</b>	TC		TC				
<b>Standard Position</b>						I	
<b>Statement</b>				I	R		
<b>Statistics</b>	I				R		
<b>Stem and Leaf Plot</b>	TC		TC			R	
<b>Step Function</b>			I				
<b>Sticker Price</b>				I			
<b>Straight Commission</b>				I	R		
<b>Straight-time pay</b>				I			
<b>Substitution</b>	TC						
<b>Sum</b>	R			R	R		
<b>Summations</b>							I
<b>Supplementary angles</b>	TC	TC					
<b>Surface area</b>	TC	TC					
<b>Surface of revolution</b>							I
<b>Symmetry</b>	TC	TC					
<b>System of Equation/Inequality</b>	TC		TC				
<b>Table</b>	TC						
<b>Tangent (of circles)</b>		I					
<b>Tangent (trig)</b>			I			R	
<b>Tax Rate</b>				I			
<b>Taxable Income</b>				I			
<b>Taxicab geometry</b>		I					
<b>Taxidistance</b>		I					
<b>Taylor polynomial/series</b>							I

I = Introduced

TC = Tested Concept

R = Reinforced

9-12  
Mathematics Vocabulary

	Algebra I (8&9)	Geometry (9&10)	Algebra II (10&11)	Applied Math I (11)	Applied Math II (12)	Trig/Stats (11)	Calculus (12)
<b>Telescoping series</b>							I
<b>Term</b>				I			
<b>Term Life Insurance</b>					I		
<b>Terms</b>	TC		TC				
<b>tetra-</b>		R					
<b>Theoretical</b>	I					R	
<b>Time Card</b>				I			
<b>Times</b>				R	R		
<b>Topology</b>		I					
<b>Torus</b>		I					
<b>Total</b>					R		
<b>Transformation</b>		TC	TC				
<b>Translation</b>		TC					
<b>Transversal</b>		TC					
<b>Trapezoid</b>		TC					
<b>Tree</b>	TC					R	
<b>Tri-</b>		R					
<b>Trial</b>			TC				
<b>Trigonometry</b>	I	R	R			R	
<b>Trinomial</b>	I		R				
<b>Twice</b>				R	R		
<b>Undefined</b>		I					
<b>Union</b>	I						
<b>Unit</b>		I	R				
<b>Unit circle</b>		I				R	R
<b>Unit Price</b>				I			
<b>Unpaid Balance</b>				I	R		
<b>u-substitution</b>							R
<b>Utilities Cost</b>				I	R		
<b>Vanishing point</b>		I					
<b>Variable</b>	TC		TC				
<b>Variable Cost</b>				I	R		
<b>Variation</b>			I			R	
<b>Vector</b>		I				R	
<b>Velocity</b>							R

I = Introduced  
TC = Tested Concept  
R = Reinforced

9-12  
Mathematics Vocabulary

	Algebra I (8&9)	Geometry (9&10)	Algebra II (10&11)	Applied Math I (11)	Applied Math II (12)	Trig/Stats (11)	Calculus (12)
<b>Venn diagram</b>	TC	TC					
<b>Vertex</b>	TC	TC	TC			R	
<b>Vertical</b>	TC	TC	TC				
<b>Vertical angles</b>		TC				R	
<b>Vertical asymptote</b>			I				I
<b>Vertical line test</b>	I		R			R	R
<b>Volume</b>	TC	TC	R				R
<b>Withdrawal</b>				I			
<b>Withholding Allowance</b>				I			
<b>Work</b>							I
<b>Zero</b>			R				
<b>Zero-product property</b>	I	TC	TC				

I = Introduced  
 TC = Tested Concept  
 R = Reinforced